



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

SW

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/657,914	09/09/2003	Bret A. Ferree	BAF-14802/29	5106

7590 09/21/2004

John G. Posa  
Gifford, Krass, Groh, Sprinkle,  
Anderson & Citkowski, P.C.  
280 N. Old Woodward Ave., Suite 400  
Birmingham, MI 48009-5394

EXAMINER
----------

PREBILIC, PAUL B

ART UNIT	PAPER NUMBER
----------	--------------

3738

DATE MAILED: 09/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/657,914

Applicant(s)

FERREE, BRET A.

Examiner

Paul B. Prebilic

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-8 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 September 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 1/13/04
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_

### ***Drawings***

The drawings are objected to because the crosshatching does not appear to be in compliance with 37 CFR 1.84(n); see MPEP 608.02 (IX). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Specification***

The abstract of the disclosure is objected to because on page 3, lines 11, 12, and 15, the meaning of "ADR" is not explained so that the meaning thereof is not clear. Correction is required. See MPEP § 608.01(b).

***Claim Objections***

Claim 1 is objected to because of the following informalities: In claim 1, it is not clear what is meant by the term "natural" in "natural arthroplasty device" such that one cannot ascertain whether this limits the device to naturally occurring materials of the spinal region. Appropriate correction or clarification is required.

***Claim Rejections - 35 USC § 112***

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. With regard to claims 1-8, in base claim 1, the Jepson format appears to be used improperly rendering the claim scope unclear. In particular, the Jepson format requires some improvement over a prior art device or known device (in the case of a product claim). However, since "spinal arthroplasty" is not a device and is merely a surgical procedure, it is unclear what the claim body is an improvement of.

With regard to claims 2-7, the term "components" renders the claim language scope indefinite because the base claim uses "one or more bio-resorbable components." For this reason, it is unclear whether the use of the plural "components" is supposed to limit the claim to more than one or not. When treating the claims on their merits, the Examiner will interpret the claims as claiming the range of "one or more components" since this is the broadest reasonable interpretation.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-8 are rejected under 35 U.S.C. 102(b) as being anticipated by Nicholson et al (US 6,096,080). Nicholson anticipates the claim language where one or more bioabsorbable components are the implant (35) and barbs (36) of Nicholson (see Figures 5 and 6 as well as column 9, lines 24-52), and the prosthetic or natural arthroplasty device is implant (35) or the bone ingrowth material (see column 10, lines 1-14).

Regarding claims 2 and 3 specifically, the component(s) can be a rod as claimed such as that shown by Nicholson as barb (36); see Figures 5 and 6.

Regarding claims 3-7, the claimed features are explicitly set forth or implicitly disclosed by Nicholson; see column 3, line 66 to column 4, line 26 and column 5, lines 26-65.

With regard to claim 8, the Nicholson device can be made with bone allograft; see *supra*.

***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 3738

### **Conclusion**

Applicant should specifically point out the support for any amendments made to the disclosure, including the claims (MPEP 714.02 and 2163.06). Due to the procedure outlined in MPEP 2163.06 for interpreting claims, it is noted that other art may be applicable under 35 USC 102 or 35 USC 103(a) once the aforementioned issue(s) is/are addressed.

Applicant is respectfully requested to provide a list of all copending applications that set forth similar subject matter to the present claims. A copy of such copending claims is respectfully requested in response to this Office action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul B. Prebilic whose telephone number is (703) 308-2905. The examiner can normally be reached on 6:30-5:00 M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, McDermott Corrine can be reached on (703) 308-2111. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Paul Prebilic  
Primary Examiner  
Art Unit 3738